ELSEVIER

Journal of Controlled Release 61 (1999) 387–389

journal of controlled release

www.elsevier.com/locate/jconrel

Contents Volume 61 (1999)

Vol. 61, Nos. 1–2 (27 AUGUST 1999)

Preparation and evaluation of double-phased mucoadhesive suppositories of lidocaine utilizing Carbopol® and white beeswax
R. Yahagi, H. Onishi and Y. Machida (Tokyo, Japan) 1

Development of a pharmacokinetic/pharmacodynamic (PK/PD)-simulation system for doxorubicin in long circulating liposomes in mice using peritoneal P388
M. Tsuchihashi, H. Harashima and H. Kiwada (Tokushima, Japan) 9

The delivery of BCNU to brain tumors
C.-H. Wang, J. Li, C.S. Teo and T. Lee (Singapore, Singapore) 21

Development of a multifunctional matrix drug delivery system surrounded by an impermeable cylinder
I. Krögel and R. Bodmeier (Berlin, Germany) 43

Bacterial ghosts as drug carrier and targeting vehicles
V. Huter, M.P. Szostak, J. Gampfer, S. Prethaler (Vienna, Austria), G. Wanner (Munich, Germany), F. Gabor and W. Lubitz (Vienna, Austria) 51

Noninvasive sampling of phenylalanine by reverse iontophoresis
V. Merino, A. López (Archamps, France, Geneva, Switzerland and Valencia, Spain), D. Hochstrasser and R.H. Guy (Archamps, France and Geneva, Switzerland) 65

Optimization of a vehicle mixture for the transdermal delivery of melatonin using artificial neural networks and response surface method
K.K. Kandimalla, N. Kanikkannan and M. Singh (Tallahassee, FL, USA) 71

Observation of swelling process and diffusion front position during swelling in hydroxypropyl methyl cellulose (HPMC) matrices containing a soluble drug
P. Colombo, R. Bettini (Parma, Italy) and N.A. Peppas (West Lafayette, IN, USA) 83

Optimization of antitumor effect of liposomaly encapsulated doxorubicin based on simulations by pharmacokinetic/pharmacodynamic modeling
H. Harashima, S. Iida, Y. Urakami, M. Tsuchihashi and H. Kiwada (Tokushima, Japan) 93

A method for the preparation of polymeric nanocapsules without stabilizer
Z. Lu, J. Bei and S. Wang (Beijing, China) 107

Correlation of two bioadhesion assays: the everted sac technique and the CAHN microbalance
C.A. Santos, J.S. Jacob, B.A. Hertzog, B.D. Freedman, D.L. Press, P. Harnpicharnchai and E. Mathiowitz (Providence, RI, USA) 113

Preparation and properties of glutaraldehyde cross-linked whey protein-based microcapsules containing theophylline
S.J. Lee and M. Rosenberg (Davis, CA, USA) 123

The design and synthesis of polymers for eukaryotic membrane disruption
N. Murthy, J.R. Robichaud (Seattle, WA, USA), D.A. Tirrell (California, CA, USA), P.S. Stayton and A.S. Hoffman (Seattle, WA, USA) 137

Biodistribution of free and *N*-(2-hydroxypropyl)methacrylamide copolymer-bound mesochlorin e_6 and adriamycin in nude mice bearing human ovarian carcinoma OVCAR-3 xenografts
J.-G. Shiah, Y. Sun, C.M. Peterson and J. Kopeček (Salt Lake City, UT, USA) 145
Variation in the diffusion and release of ribonuclease through and from esterified hyaluronic acid membranes: Effect of changes in matrix characteristics
L.D. Simon, V.J. Stella (Lawrence, KS, USA), W.N. Charman and S.A. Charman (Parkville, Australia) 159
^{3}He ion-beam analysis of water uptake and drug delivery
P.D. Riggs (London, UK), A.S. Clough, P.M. Jenneson, D.W. Drew (Guildford, UK), M. Braden and M.P. Patel (London, UK) 165
An in vitro mucosal model predictive of bioadhesive agents in the oral cavity
D. Patel (Portsmouth, UK), A.W. Smith, N. Grist, P. Barnett (Weybridge, UK) and J.D. Smart (Portsmouth, UK) 175
Spatially constrained skin electroporation with sodium thiosulfate and urea creates transdermal microconduits
L. Ilic, T.R. Gowrishankar, T.E. Vaughan (Cambridge, MA, USA), T.O. Herndon (Lexington, MA, USA) and J.C. Weaver (Cambridge, MA, USA) 185
Gamma irradiation for terminal sterilization of 17β-estradiol loaded poly-(D,L-lactide-co-glycolide) microparticles
D. Mohr, M. Wolff (Monheim, Germany) and T. Kissel (Marburg, Germany) 203
Drug and excipient diffusion and solubility in acrylate adhesives measured by infrared-attenuated total reflectance (IR-ATR) spectroscopy
A.S. Cantor (St. Paul, MN, USA) 219
Positively charged liposome functions as an efficient immunoadjuvant in inducing cell-mediated immune response to soluble proteins
T. Nakanishi, J. Kunisawa, A. Hayashi, Y. Tsutsumi, K. Kubo, S. Nakagawa, M. Nakanishi, K. Tanaka and T. Mayumi (Osaka, Japan) 233

Vol. 61, No. 3 (27 SEPTEMBER 1999)

Mechanisms of hepatic disposition of polystyrene microspheres in rats: Effects of serum depend on the sizes of microspheres
K.-i. Ogawara, M. Yoshida, J.-i. Kubo (Okayama, Japan), M. Nishikawa, Y. Takakura, M. Hashida (Kyoto, Japan), K. Higaki, T. Kimura (Okayama, Japan) 241
Release of a model molecule from highly concentrated fluorinated reverse emulsions. Influence of composition variables and temperature
S. Rocca, S. Muller, M.J. Stébé (Vandoeuvre-lès-Nancy, France) 251
Mechanisms controlling diffusion and release of model proteins through and from partially esterified hyaluronic acid membranes
L.D. Simon (Lawrence, KS, USA, Parkville, Australia), V.J. Stella (Lawrence, KS, USA), W.N. Charman, S.A. Charman (Parkville, Australia) 267
Drug delivery of anticancer agents: water soluble 4-poly (ethylene glycol) derivatives of the lignan, podophyllotoxin
R.B. Greenwald, C.D. Conover, A. Pendri, Y.H. Choe, A. Martinez, D. Wu, S. Guan, Z. Yao, K.L. Shum (Piscataway, NJ, USA) 281
Effect of polymer/basic drug interactions on the two-stage diffusion-controlled release from a poly(L-lactic acid) matrix
M. Miyajima, A. Koshika, J. Okada, M. Ikeda (Tokyo, Japan) 295
Poly(D,L-lactic-co-glycolic acid) microspheres for sustained delivery and stabilization of camptothecin
B. Ertl, P. Platzer, M. Wirth, F. Gabor (Vienna, Austria) 305
Design of an intravaginal ring for the controlled delivery of 17β-estradiol as its 3-acetate ester
A.D. Woolfson (Belfast, U.K.), G.R.E. Elliott, C.A. Gilligan, C.M. Passmore (Craigavon, UK) 319
Uptake and release of budesonide from mucoadhesive, pH-sensitive copolymers and their application to nasal delivery
K. Nakamura, Y. Maitani (Tokyo, Japan), A.M. Lowman (Philadelphia, PA, USA), K. Takayama (Tokyo, Japan), N.A. Peppas (West Lafayette, IN, USA), T. Nagai (Tokyo, Japan) 329

Local delivery of chlorhexidine using a tooth-bonded delivery system
N.J. Medlicott, D.W. Holborow, M.J. Rathbone (Dunedin, New Zealand), D.S. Jones (Belfast, UK), I.G. Tucker (Dunedin, New Zealand) 337
A mathematical model of an aqueous–organic partition-based controlled release system using microporous membranes
S. Farrell, K.K. Sirkar (Newark, NJ, USA) 345
Microencapsulation of DNA using poly(DL-lactide-co-glycolide): stability issues and release characteristics
E. Walter, K. Moelling, J. Pavlovic, H.P. Merkle (Zurich, Switzerland) 361

Calendar of events 375
Author Index Volume 61 381
Subject Index Volume 61 383
Contents Volume 61 386